Heredity **86** (2001) 752–756

Author index

Ando, Hirotaka *see* Taketa, Shin

Antonisse-De Jong, A.G. *see* Vos, C.C.

Avise, John C. *see* Pearse, Devon E.

Azou, Yannick & Bregliano, Jean-Claude. I-R system of hybrid dysgenesis in *Drosophilia melanogaster*: analysis of the mitochondrial DNA in reactive strains exhibiting different potentials for *I* factor transposition. **110**

Bagley, Mark *see* Iturra, Patricia

Bakker, Theo C.M. *see* Largiadèr, Carlo R.

Barker, Hugh *see* Solomon-Blackburn, Ruth M.

Barker, Hugh *see* Solomon-Blackburn, Ruth M.

Bastien, Catherine *see* Quencez, Christine

Baylink, David J. *see* Li, Xinmin

Belyayev, Alexander, Raskina, Olga & Nevo, Eviatar. Evolutionary dynamics and chromosomal distribution of repetitive sequences on chromosomes of *Aegilops speltoides* revealed by genomic *in situ* hybridization. **738**

Bertault, Guillaume, Rousset, François, Fernandez, Diana, Berthomieu, Arnaud, Hochberg, Michael E., Callot, Gabriel & Raymond, Michel. Population genetics and dynamics of the black truffle in a man-made truffle field. **451**

Berthomieu, Arnaud *see* Bertault, Guillaume

Bezançon, Gilles *see* Renno, Jean-François

Bielza-Lino, Pablo *see* Torres-Vila, Luis M.

Bilton, David T. *see* Kelly, Lucy C.

Blouin, Amanda G. *see* Williams, Marcus A.

Bonhomme, François *see* Daguin, Claire

Boomsma, J.J. *see* Sundström, L.

Borash, Daniel J. & Shimada, Masakazu. Genetics of larval urea and ammonia tolerance and cross-tolerance in *Drosophila melanogaster*. **658**

Borsa, Phillippe *see* Daguin, Claire

Bossis, Michel *see* Grenier, Eric

Boulding, Elizabeth Grace & Hay, Toby. Genetic and demographic parameters determining population persistence after a discrete change in the environment. **313**

Bouza, Carmen *see* Pardo, Belén G.

Boyce, Walter M. *see* Gutierrez-Espeleta, Gustavo A.

Bradley, Daniel G. *see* Freeman, Abigail R.

Bregliano, Jean-Claude *see* Azou, Yannick

Bubliy, Oleg A., Loeschcke, Volker & Imasheva, Alexandra G. Genetic variation of morphological traits in *Drosophila melanogaster* under poor nutrition: isofemale lines and offspring-parent regression. **363**

Burgos, M. *see* Stitou, S.

Caballero, Armando *see* Fernández, Jesús

Callot, Gabriel *see* Bertault, Guillaume

Carvalho, Gary *see* Mesquita, Natacha

Castro, Jaime *see* Pardo, Belén G.

Castro, Jaime, Rodriguez, Santiago, Pardo, Belén G., Sánchez, Laura & Martinez, Paulino. Population analysis of an unusual NOR-site polymorphism in brown trout (*Salmo trutta* L.). **291**

Changné, David *see* Mariette, Stéphanie

Chapco, William *see* Litzenberger, Greg

Charcosset, A. *see* Rebourg, C.

Charlesworth, B. & Dempsey, N.D. A model of the evolution of the unusual sex chromosome system of *Microtus oregoni*. **387**

Chiavarino, A. Mauricio, González-Sánchez, Mónica, Poggio, Lidia, Puertas, María J., Rosato, Marcela & Rosi, Pablo. Is maize B chromosome preferential fertilization controlled by a single gene?. **743**

Chiyokubo, Takashi *see* Shikano, Takahito

Coelho, Maria Manuela *see* Mesquita, Natacha

Collevatti, Rosane Garcia, Grattapaglia, Dario & Duvall Hay, John. High resolution microsatellite based analysis of the mating system allows the detection of significant biparental inbreeding in *Caryocar brasiliense*, an endangered tropical tree species. **60**

Cornuet, J.-M. *see* Franck, P.

Crespo, Eduardo *see* Mesquita, Natacha

Culley, Theresa M. & Wolfe, Andrea D. Population genetic structure of the cleistogamous plant species *Viola pubescens* Aiton (Violaceae), as indicated by allozyme and ISSR molecular markers. **545**

Daguin, Claire, Bonhomme, François & Borsa, Phillippe. The zone of sympatry and hybridization of *Mytilus edulis* and *M. galloprovincialis*, as described by intron length polymorphism at locus *mac-1*. **342**

Damodar Reddy, K. *see* Nagaraju, J.

Danzmann, R.G. *see* Perry, Guy M.L.

Delph, Lynda F. *see* Dudle, Dana A.

Dempsey, N.D. *see* Charlesworth, B.

Dempsey, P.J. & Townsend, G.C. Genetic and environmental contributions to variation in human tooth size. **685**

Diaz De La Guardia, R. *see* Stitou, S.

Diéguez-Uribeondo, Javier *see* Grandjean, Frédéric

Dudle, Dana A., Mutikainen, Pia & Delph, Lynda F. Genetics of sex determination in the gynodioecious species *Lobelia siphilitica*: evidence from two populations. **265**

Duvall Hay, John *see* Collevatti, Rosane Garcia

Heredity **86** (2001) 752–756

Author index

Ando, Hirotaka *see* Taketa, Shin

Antonisse-De Jong, A.G. *see* Vos, C.C.

Avise, John C. *see* Pearse, Devon E.

Azou, Yannick & Bregliano, Jean-Claude. I-R system of hybrid dysgenesis in *Drosophilia melanogaster*: analysis of the mitochondrial DNA in reactive strains exhibiting different potentials for *I* factor transposition. **110**

Bagley, Mark *see* Iturra, Patricia

Bakker, Theo C.M. *see* Largiadèr, Carlo R.

Barker, Hugh *see* Solomon-Blackburn, Ruth M.

Barker, Hugh *see* Solomon-Blackburn, Ruth M.

Bastien, Catherine *see* Quencez, Christine

Baylink, David J. *see* Li, Xinmin

Belyayev, Alexander, Raskina, Olga & Nevo, Eviatar. Evolutionary dynamics and chromosomal distribution of repetitive sequences on chromosomes of *Aegilops speltoides* revealed by genomic *in situ* hybridization. **738**

Bertault, Guillaume, Rousset, François, Fernandez, Diana, Berthomieu, Arnaud, Hochberg, Michael E., Callot, Gabriel & Raymond, Michel. Population genetics and dynamics of the black truffle in a man-made truffle field. **451**

Berthomieu, Arnaud *see* Bertault, Guillaume

Bezançon, Gilles *see* Renno, Jean-François

Bielza-Lino, Pablo *see* Torres-Vila, Luis M.

Bilton, David T. *see* Kelly, Lucy C.

Blouin, Amanda G. *see* Williams, Marcus A.

Bonhomme, François *see* Daguin, Claire

Boomsma, J.J. *see* Sundström, L.

Borash, Daniel J. & Shimada, Masakazu. Genetics of larval urea and ammonia tolerance and cross-tolerance in *Drosophila melanogaster*. **658**

Borsa, Phillippe *see* Daguin, Claire

Bossis, Michel *see* Grenier, Eric

Boulding, Elizabeth Grace & Hay, Toby. Genetic and demographic parameters determining population persistence after a discrete change in the environment. **313**

Bouza, Carmen *see* Pardo, Belén G.

Boyce, Walter M. *see* Gutierrez-Espeleta, Gustavo A.

Bradley, Daniel G. *see* Freeman, Abigail R.

Bregliano, Jean-Claude *see* Azou, Yannick

Bubliy, Oleg A., Loeschcke, Volker & Imasheva, Alexandra G. Genetic variation of morphological traits in *Drosophila melanogaster* under poor nutrition: isofemale lines and offspring-parent regression. **363**

Burgos, M. *see* Stitou, S.

Caballero, Armando *see* Fernández, Jesús

Callot, Gabriel *see* Bertault, Guillaume

Carvalho, Gary *see* Mesquita, Natacha

Castro, Jaime *see* Pardo, Belén G.

Castro, Jaime, Rodriguez, Santiago, Pardo, Belén G., Sánchez, Laura & Martinez, Paulino. Population analysis of an unusual NOR-site polymorphism in brown trout (*Salmo trutta* L.). **291**

Changné, David *see* Mariette, Stéphanie

Chapco, William *see* Litzenberger, Greg

Charcosset, A. *see* Rebourg, C.

Charlesworth, B. & Dempsey, N.D. A model of the evolution of the unusual sex chromosome system of *Microtus oregoni*. **387**

Chiavarino, A. Mauricio, González-Sánchez, Mónica, Poggio, Lidia, Puertas, María J., Rosato, Marcela & Rosi, Pablo. Is maize B chromosome preferential fertilization controlled by a single gene?. **743**

Chiyokubo, Takashi *see* Shikano, Takahito

Coelho, Maria Manuela *see* Mesquita, Natacha

Collevatti, Rosane Garcia, Grattapaglia, Dario & Duvall Hay, John. High resolution microsatellite based analysis of the mating system allows the detection of significant biparental inbreeding in *Caryocar brasiliense*, an endangered tropical tree species. **60**

Cornuet, J.-M. *see* Franck, P.

Crespo, Eduardo *see* Mesquita, Natacha

Culley, Theresa M. & Wolfe, Andrea D. Population genetic structure of the cleistogamous plant species *Viola pubescens* Aiton (Violaceae), as indicated by allozyme and ISSR molecular markers. **545**

Daguin, Claire, Bonhomme, François & Borsa, Phillippe. The zone of sympatry and hybridization of *Mytilus edulis* and *M. galloprovincialis*, as described by intron length polymorphism at locus *mac-1*. **342**

Damodar Reddy, K. *see* Nagaraju, J.

Danzmann, R.G. *see* Perry, Guy M.L.

Delph, Lynda F. *see* Dudle, Dana A.

Dempsey, N.D. *see* Charlesworth, B.

Dempsey, P.J. & Townsend, G.C. Genetic and environmental contributions to variation in human tooth size. **685**

Diaz De La Guardia, R. *see* Stitou, S.

Diéguez-Uribeondo, Javier *see* Grandjean, Frédéric

Dudle, Dana A., Mutikainen, Pia & Delph, Lynda F. Genetics of sex determination in the gynodioecious species *Lobelia siphilitica*: evidence from two populations. **265**

Duvall Hay, John *see* Collevatti, Rosane Garcia

Eckmann, Reiner *see* Gerlach, Gabriele
Ehrich, Dorothee & Stenseth, Nils Chr. Genetic structure of Siberian lemmings (*Lemmus sibiricus*) in a continuous habitat: large patches rather than isolation by distance, **716**

Feare, C.J. *see* Winney, B.J.
Ferguson, Moira M. *see* Perry, Guy M.L.
Fernandez, Diana *see* Bertault, Guillaume
Fernández, Jesús & Caballero, Armando. Accumulation of deleterious mutations and equalization of parental contributions in the conservation of genetic resources, **480**
Fishman, Lila. Inbreeding depression in two populations of *Arenaria uniflora* (Caryophyllaceae) with contrasting mating systems, **184**
Fleming, Theodore H. *see* Kronforst, Marcus R.
Fouville, Didier *see* Grenier, Eric
Franck, P., Garnery, L., Loiseau, A., Oldroyd, B.P., Hepburn, H.R., Solignac, M. & Cornuet, J.-M. Genetic diversity of the honeybee in Africa: microsatellite and mitochondrial data, **420**
Freeman, Abigail R., Machugh, David E., Mckeown, Seán, Walzer, Christian, Mcconnell, David J. & Bradley, Daniel G. Sequence variation in the mitochondrial DNA control region of wild African cheetahs (*Acinonyx jubatus*), **355**
Fries, Valérie *see* Largiadèr, Carlo R.
Fuchs, Uta *see* Müller, Jakob

Garnery, L. *see* Franck, P.
Garrigan, Daniel *see* Gutierrez-Espeleta, Gustavo A.
Gerlach, Gabriele, Schardt, Uwe, Eckmann, Reiner & Meyer, Axel. Kin-structured subpopulations in Eurasian perch (*Perca fluviatilis* L.), **213**
Gibson, John P. *see* Perry, Guy M.L.
Gilchrist, A.S. & Partridge, L. The contrasting genetic architecture of wing size and shape in *Drosophila melanogaster*, **144**
Goedhart, P.W. *see* Vos, C.C.
Gömöry, Dusan, Yakovlev, Igor, Zhelev, Petar, Jedináková, Jarmila & Paule, Ladislav. Genetic differentiation of oak populations within the *Quercus robur/Quercus petraea* complex in Central and Eastern Europe, **557**
González-Sánchez, Mónica *see* Chiavarino, A. Mauricio
Gouesnard, B. *see* Rebourg, C.
Gouin, Nicolas *see* Grandjean, Frédéric
Gragera, Juan *see* Torres-Vila, Luis M.
Grandjean, Frédéric, Gouin, Nicolas, Souty-Grosset, Catherine & Diéguez-Uribeondo, Javier. Drastic bottlenecks in the endangered crayfish species *Austropotamobius pallipes* in Spain and implications for its colonization history, **431**
Grattapaglia, Dario *see* Collevatti, Rosane Garcia
Grenier, Eric, Bossis, Michel, Fouville, Didier, Renault, Lionel & Mugniéry, Didier. Molecular approaches to the taxonomic position of Peruvian potato cyst nematodes and gene pool similarities in indigenous and imported populations of *Globodera*, **277**
Gu, Wiekuan *see* Li, Xinmin
Gutierrez-Espeleta, Gustavo A., Hedrick, Philip W., Kalinowski, Steven T., Garrigan, Daniel & Boyce, Walter M. Is the decline of desert bighorn sheep from infectious disease the result of low MHC variation?, **439**

Hamilton-Ulland, Melanie *see* Li, Xinmin
Hay, Toby *see* Boulding, Elizabeth Grace
Heath, Daniel D., Pollard, Susan & Herbinger, Christophe. Genetic structure and relationships among steelhead trout (*Oncorhynchus mykiss*) populations in British Columbia, **618**
Hedrick, Philip W. *see* Gutierrez-Espeleta, Gustavo A.
Helle, E. *see* Palo, J.U.
Hepburn, H.R. *see* Franck, P.
Herbinger, Christophe *see* Heath, Daniel D.
Hermann, M. *see* Trognitz, B.R.
Hille, Axel *see* Schäfer, Martin A.
Hochberg, Michael E. *see* Bertault, Guillaume
Hoebee, Susan E. & Young, Andrew G. Low neighbourhood size and high interpopulation differentiation in the endangered shrub *Grevillea iaspicula* McGill (Proteaceae), **489**
Hoffmann, Ary A. *see* Olsen, Karen
Hoikkala, Anneli *see* Vieira, Jorge
Hughes, Jane M. *see* Mcglashan, Dugald J.
Humphreys, M.W. *see* Lèsniewska, A.
Hunter, Mark D. *see* Lawson, Eilleen T.
Hurst, Gregory D.D. *see* Jiggins, Francis M.
Hutchings, Jeffrey A. *see* Jones, Matthew W.

Imasheva, Alexandra G. *see* Bubliy, Oleg A.
Imbert, Eric. Capitulum characters in a seed heteromorpic plant, *Crepis sancta* (Asteraceae): variance partitioning and inference for the evolution of disperal rate, **78**
Imbert, Paula *see* Iturra, Patricia
Inoue, Yutaka *see* Itoh, Masanobu
Itoh, Masanobu, Sasai, Nobuhiro, Inoue, Yutaka & Watada, Masayoshi. P elements and P-M characteristics in natural populations of *Drosophilia melanogaster* in the southernmost islands of Japan and in Taiwan, **206**
Iturra, Patricia, Bagley, Mark, Vergara, Nora, Imbert, Paula & Medrano, Juan F. Development and characterization of DNA sequence *OmyP9* associated with the sex chromosomes in rainbow trout, **412**

James, A.R. *see* Lèsniewska, A.
Janzen, Fredric J. *see* Pearse, Devon E.
Jedináková, Jarmila *see* Gömöry, Dusan

Jiggins, Francis M., Hurst, Gregory D.D., V.D. Schulenburg, J. Hinrich G. & Majerus, Michael E.N. Two male-killing *Wolbachia* strains coexist within a population of the butterfly *Acraea encedon*, **161**

Jiménez, R. *see* Stitou, S.

Jones, Matthew W. & Hutchings, Jeffrey A. The influence of male parr body size and mate competition on fertilization success and effective population size in Atlantic salmon, **675**

Jr., James H. *see* Mclain, Denson Kelly

Juchault, P. *see* Moret, Y.

Kalinowski, Steven T. *see* Gutierrez-Espeleta, Gustavo A.

Kark, Salit, Safriel, Uriel N., Tabarroni, Cristiano & Randi, Ettore. Relationship between heterozygosity and asymmetry: a test across the distribution range, **119**

Kelly, Lucy C., Bilton, David T. & Rundle, Simon D. Population structure and dispersal in the Canary Island caddisfly *Mesophylax aspersus* (Trichoptera, Limnephilidae), **370**

Klaper, Rebecca *see* Lawson, Eilleen T.

Kremer, Antoine *see* Mariette, Stéphanie

Kronforst, Marcus R. & Fleming, Theodore H. Lack of genetic differentiation among widely spaced subpopulations of a butterfly with home range behaviour, **243**

Lacey, Eileen A. Microsatellite variation in solitary and social tuco-tucos: molecular properties and population dynamics, **628**

Largiadèr, Carlo R., Fries, Valérie & Bakker, Theo C.M. Genetic analysis of sneaking and egg-thievery in a natural population of the three-spined stickleback (*Gasterosteus aculeatus* L.), **459**

Lawson, Eilleen T., Mousseau, Timothy A., Klaper, Rebecca, Hunter, Mark D. & Werren, John H. Rickettsia associated with male-killing in a buprestid beetle, **497**

Lésniewska, A., Ponitka, A., Slusarkiewicz-Jarzina, A., Zwierzykowska, E., Zwierzykowski, Z., James, A.R., Thomas, H. & Humphreys, M.W. Androgenesis from *Festuca pratensis* x *Lolium multiflorum* amphidiploid cultivars in order to select and stabilise rare gene combinations for grass breeding, **167**

Lézier, Céline *see* Mariette, Stéphanie

Li, Jing *see* Mclain, Denson Kelly

Li, Xinmin, Gu, Wiekuan, Masinde, Godfred, Hamilton-Ulland, Melanie, Xu, Shizhong, Mohan, Subburaman & Baylink, David J. Genetic control of the rate of wound healing in mice, **668**

Litton, C.D. *see* Winney, B.J.

Litzenberger, Greg & Chapco, William. A molecular phylogeographic perspective on a fifty-year-old taxonomic issue in grasshopper systematics, **54**

Loeschcke, Volker *see* Bubliy, Oleg A.

Loiseau, A. *see* Franck, P.

Lu, Yingqing. Roles of lineage sorting and phylogenetic relationship in the genetic diversity at the self-incompatibility locus of Solanaceae, **195**

Lumaret, Roselyne *see* Renno, Jean-François

Machugh, David E. *see* Freeman, Abigail R.

Majerus, Michael E.N. *see* Jiggins, Francis M.

Maki, Masayuki & Murata, Jin. Allozyme analysis of the hybrid origin of *Arisaema ehimense* (Araceae), **87**

Mäkinen, H.S. *see* Palo, J.U.

Mariac, Cédric *see* Renno, Jean-François

Mariette, Stéphanie, Changné, David, Lézier, Céline, Pastuszka, Patrick, Raffin, Annie, Plomion, Christophe & Kremer, Antoine. Genetic diversity within and among *Pinus pinaster* populations: comparison between AFLP and microsatellite markers, **469**

Marra, Robert E. & Milgroom, Michael G. The mating system of the fungus *Cryphonectria parasitica*: selfing and self-incompatibility, **134**

Martínez, Paulino *see* Castro, Jaime

Martínez, Paulino *see* Pardo, Belén G.

Masinde, Godfred *see* Li, Xinmin

Mcconnell, David J. *see* Freeman, Abigail R.

Mcglashan, Dugald J. & Hughes, Jane M. Low levels of genetic differentiation among populations of the freshwater fish *Hypseleotris compressa* (Gobiidae: Eleotridinae): implications for its biology, population connectivity and history, **222**

Mckeown, Seán *see* Freeman, Abigail R.

Mclain, Denson Kelly, Li, Jing, Oliver, James H. & Jr., James H. Interspecific and geographical variation in the sequence of rDNA expansion segment *D3* of *Ixodes* ticks (Acari: Ixodidae), **234**

Medrano, Juan F. *see* Iturra, Patricia

Mesquita, Natacha, Carvalho, Gary, Shaw, Paul, Crespo, Eduardo & Coelho, Maria Manuela. River basin-related genetic structuring in an endangered fish species, *Chondrostoma lusitanicum*, based on mtDNA sequencing and RFLP analysis, **253**

Meyer, Axel *see* Gerlach, Gabriele

Michod, Richard E & Roze, Denis. Cooperation and conflict in the evolution of multicellularity, **1**

Milgroom, Michael G. *see* Marra, Robert E.

Mohan, Subburaman *see* Li, Xinmin

Monaghan, Michael T., Spaak, Piet, Robinson, Christopher T. & Ward, J.V. Genetic differentiation of *Baetis alpinus* Pictet (Ephemeroptera: Baetidae) in fragmented alpine streams, **395**

Moret, Y., Juchault, P. & Rigaud, T. *Wolbachia* endosymbiont responsible for cytoplasmic incompatibility in a terrestrial crustacean: effects in natural and foreign hosts, **325**

Morgan-Richards, Mary, Trewick, Steven A. & Wallis, Graham P. Chromosome races with Pliocene origins: evidence from mtDNA, **303**

Mousseau, Timothy A. *see* Lawson, Eilleen T.
Mugniéry, Didier *see* Grenier, Eric
Müller, Jakob, Wöll, Sabrina, Fuchs, Uta & Seitz, Alfred. Genetic interchange of *Dreissena polymorpha* populations across a canal, **103**
Murata, Jin *see* Maki, Masayuki
Mutikainen, Pia *see* Dudle, Dana A.

Nagaraja, G.M. *see* Nagaraju, J.
Nagaraju, J., Damodar Reddy, K., Nagaraja, G.M. & Sethuraman, B.N. Comparison of multilocus RFLPs and PCR-based marker systems for genetic analysis of the silkmoth, *Bombyx mori*, **588**
Nevo, Eviatar *see* Belyayev, Alexander
Nielsen, Rasmus. Statistical tests of selective neutrality in the age of genomics, **641**
Noor, Mohamad A.F. *see* Williams, Marcus A.

Oldroyd, B.P. *see* Franck, P.
Oliver, James H. *see* Mclain, Denson Kelly
Olsen, Karen, Reynolds, K. Tracy & Hoffmann, Ary A. A field cage test of the effects of the endosymbiont *Wolbachia* on *Drosophila melanogaster*, **731**

Palo, J.U., Mäkinen, H.S., Helle, E., Stenman, O. & Väinölä, R. Microsatellite variation in ringed seals (*Phoca hispida*): genetic structure and history of the Baltic Sea population, **609**
Pardo, Belén G. *see* Castro, Jaime
Pardo, Belén G., Bouza, Carmen, Castro, Jaime, Martínez, Paulino & Sánchez, Laura. Localization of ribosomal genes in Pleuronectiformes using Ag-, CMA_3-banding and *in situ* hybridization, **531**
Parkin, D.T. *see* Winney, B.J.
Partridge, L. *see* Gilchrist, A.S.
Pastuszka, Patrick *see* Mariette, Stéphanie
Paule, Ladislav *see* Gömöry, Dusan
Pearse, Devon E., Janzen, Fredric J. & Avise, John C. Genetic markers substantiate long-term storage and utilization of sperm by female painted turtles, **378**
Perry, Guy M.L., Danzmann, R.G., Ferguson, Moira M. & Gibson, John P. Quantitative trait loci for upper thermal tolerance in outbred strains of rainbow trout (*Oncorhynchus mykiss*), **333**
Plomion, Christophe *see* Mariette, Stéphanie
Poggio, Lidia *see* Chiavarino, A. Mauricio
Pollard, Susan *see* Heath, Daniel D.
Ponitka, A. *see* Lésniewska, A.
Poteaux, Chantal *see* Renno, Jean-François
Puertas, Maria J. *see* Chiavarino, A. Mauricio

Quencez, Christine & Bastien, Catherine. Genetic variation within and between populations of *Pinus sylvestris* L. (Scots pine) for susceptibility to *Melampsora pinitorqua* Rostr. (pine twist rust), **36**

Raffin, Annie *see* Mariette, Stéphanie
Randi, Ettore *see* Kark, Salit
Raskina, Olga *see* Belyayev, Alexander
Raymond, Michel *see* Bertault, Guillaume
Rebourg, C., Gouesnard, B. & Charcosset, A. Large scale molecular analysis of traditional European maize populations. Relationships with morphological variation, **574**
Renault, Lionel *see* Grenier, Eric
Renno, Jean-François, Mariac, Cédric, Poteaux, Chantal, Bezançon, Gilles & Lumaret, Roselyne. Haplotype variation of cpDNA in the agamic grass complex *Pennisetum* section *Brevivalvula* (Poaceae), **537**
Reynolds, K. Tracy *see* Olsen, Karen
Rigaud, T. *see* Moret, Y.
Robinson, Christopher T. *see* Monaghan, Michael T.
Rodríguez, Santiago *see* Castro, Jaime
Rodríguez-Molina, M.Carmen *see* Torres-Vila, Luis M.
Roff, Derek A. The threshold model as a general purpose normalizing transformation, **404**
Rosato, Marcela *see* Chiavarino, A. Mauricio
Rosi, Pablo *see* Chiavarino, A. Mauricio
Rousset, François *see* Bertault, Guillaume
Roze, Denis *see* Michod, Richard E.
Rundle, Simon D. *see* Kelly, Lucy C.

Safriel, Uriel N. *see* Kark, Salit
Sánchez, Laura *see* Castro, Jaime
Sánchez, Laura *see* Pardo, Belén G.
Sasai, Nobuhiro *see* Itoh, Masanobu
Schäfer, Martin A., Hille, Axel & Uhl, Gabriele B. Geographic patterns of genetic subdivision in the cellar spider *Pholcus phalangioides* (Araneae), **94**
Schardt, Uwe *see* Gerlach, Gabriele
Schreiber, Arnd *see* Wang, Magnus
Seitz, Alfred *see* Müller, Jakob
Sethuraman, B.N. *see* Nagaraju, J.
Shaw, Paul *see* Mesquita, Natacha
Shikano, Takahito, Chiyokubo, Takashi & Taniguchi, Nobuhiko. Temporal changes in allele frequency, genetic variation and inbreeding depression in small populations of the guppy, *Poecilia reticulata*, **153**
Shimada, Masakazu *see* Borash, Daniel J.
Slusarkiewicz-Jarzina, A. *see* Lésniewska, A.
Smulders, M.J.M. *see* Vos, C.C.
Snow, Allison A. *see* Spencer, Lawrence J.
Solignac, M. *see* Franck, P.
Solomon-Blackburn, Ruth M. & Barker, Hugh. A review of host major-gene resistance to potato viruses X, Y, A and V in potato: genes, genetics and mapped locations, **8**
Solomon-Blackburn, Ruth M. & Barker, Hugh. Breeding virus resistant potatoes (*Solanum tuberosum*): a review of traditional and molecular approaches, **17**
Souty-Grosset, Catherine *see* Grandjean, Frédéric

Spaak, Piet *see* Monaghan, Michael T.
Spencer, Lawrence J. & Snow, Allison A. Fecundity of transgenic wild-crop hybrids of *Cucurbita pepo* (Cucurbitaceae): implications for crop-to-wild gene flow, **694**
Stenman, O. *see* Palo, J.U.
Stenseth, Nils Chr. *see* Ehrich, Dorothee
Stitou, S., Jiménez, R., Díaz De La Guardia, R. & Burgos, M. Silent ribosomal cistrons are located at the pairing segment of the postreductional sex chromosomes of *Apodemus sylvaticus* (Rodentia, Muridae), **128**
Sundström, L. & Boomsma, J.J. Conflicts and alliances in insect families, **515**

Tabarroni, Cristiano *see* Kark, Salit
Takeda, Kazuyoshi *see* Taketa, Shin
Taketa, Shin, Ando, Hirotaka, Takeda, Kazuyoshi & Von Bothmer, Roland. Physical locations of 5S and 18S-25S rDNA in Asian and American diploid *Hordeum* species with the I genome, **522**
Taniguchi, Nobuhiko *see* Shikano, Takahito
Thomas, H. *see* Lésniewska, A.
Torres-Vila, Luis M., Rodríguez-Molina, M. Carmen, Gragera, Juan & Bielza-Lino, Pablo. Polyandry in Lepidoptera: a heritable trait in *Spodoptera exigua* Hübner, **177**
Townsend, G.C. *see* Dempsey, P.J.
Trewick, Steven A. *see* Morgan-Richards, Mary
Trognitz, B.R. & Hermann, M. Inheritance of tristyly in *Oxalis tuberosa* (Oxalidaceae), **564**

Uhl, Gabriele B. *see* Schäfer, Martin A.

V.D. Schulenburg, J. Hinrich G. *see* Jiggins, Francis M.
Väinölä, R. *see* Palo, J.U.
Vergara, Nora *see* Iturra, Patricia
Vieira, Jorge & Hoikkala, Anneli. Variability levels, population size and structure of American and European *Drosophila montana* populations, **506**
Von Bothmer, Roland *see* Taketa, Shin
Vos, C.C., Antonisse-De Jong, A.G., Goedhart, P.W. & Smulders, M.J.M. Genetic similarity as a measure for connectivity between fragmented populations of the moor frog (*Rana arvalis*), **598**

Waldmann, Patrik. Additive and non-additive genetic architecture of two different-sized populations of *Scabiosa canescens*, **648**
Wallis, Graham P. *see* Morgan-Richards, Mary
Walzer, Christian *see* Freeman, Abigail R.
Wang, Magnus & Schreiber, Arnd. The impact of habitat fragmentation and social structure on the population genetics of roe deer (*Capreolus capreolus* L.) in Central Europe, **703**
Ward, J.V. *see* Monaghan, Michael T.
Watada, Masayoshi *see* Itoh, Masanobu
Werren, John H. *see* Lawson, Eilleen T.
Williams, Marcus A., Blouin, Amanda G. & Noor, Mohamad A.F. Courtship songs of *Drosophila pseudoobscura* and *D. persimilis*. II. Genetics of species differences, **68**
Winney, B.J., Litton, C.D., Parkin, D.T. & Feare, C.J. The subspecific origin of the inland breeding colonies of the cormorant *Phalacrocorax carbo* in Britain, **45**
Wolfe, Andrea D. *see* Culley, Theresa M.
Wöll, Sabrina *see* Müller, Jakob

Xu, Shizhong *see* Li, Xinmin

Yakovlev, Igor *see* Gömöry, Dusan
Young, Andrew G. *see* Hoebee, Susan E.

Zhelev, Petar *see* Gömöry, Dusan
Zwierzykowska, E. *see* Lésniewska, A.
Zwierzykowski, Z. *see* Lésniewska, A.

Heredity **86** (2001) 757–760

Keyword index

Acinonyx jubatus, **355**
Acraea encedana, **161**
Acraea encedon, **161**
adaptive variation, **439**
Aegilops speltoides, **738**
AFLP, **469**
Africa, **420**
agamic species, **537**
Alectoris chukar, **119**
allozyme, **87**, **153**, **489**
allozyme electrophoresis, **243**
allozyme variation, **291**
allozymes, **94**, **103**, **222**, **370**, **395**, **703**
alternative mating strategies, **675**
altruism, **1**
ammonia tolerance, **658**
amphidiploids, **167**
androgenesis, **167**
Apis mellifera, **420**
apoptosis, **1**
Arenaria uniflora, **184**
Arisaema ehimense, **87**

barley, **522**
barrier, **395**
B-chromosomes, **743**
beetle, **497**
bilateral asymmetry, **119**
biogeography, **54**, **451**
biological invasions, **103**
body size, **459**
Bohemanella, **54**
bottleneck, **431**
bottleneck effect, **94**
breeding, **17**
Brevivalvula, **537**

capitulum ontogeny, **78**
Capreolus capreolus, **703**
Caryocar brasiliense, **60**
Caryocaraceae, **60**
chestnut blight, **134**
Chondrostoma lusitanicum, **253**
chromosome evolution, **303**
Chrysemys picta, **378**
classification, **574**
cleistogamy, **545**
combining ability, **36**
concerted evolution, **234**
conflicts, **515**
conservation, **618**
continuous habitat, **716**
control region, **355**
controlled pollination, **489**
cooperation, **1**
cormorants, **45**
courtship song, **68**
cpDNA, **537**
crayfish, **431**
crustacean, **325**
Cryphonectria parasitica, **134**
Ctenomys, **628**
Cucurbita pepo, **694**
cytoplasmic incompatibility, **325**
cytoplasmic male sterility, **265**

D3, **234**
Darwinian selection, **641**
density-dependent natural selection, **658**
dentition, **685**
developmental instability, **119**
differentiation, **557**
diploid species, **87**
directional selection, **144**
dispersal, **94**, **395**, **598**
dispersal capability, **222**
dispersal islands, **370**
dispersal rate, **78**
distribution range, **119**
diversity, **557**
D-loop, **45**
DNA fingerprinting, **277**
DNA sequence variation, **506**
dominance, **658**
drift, 94
Drosophila, 731
Drosophila melanogaster, **110**, **144**, **206**, **363**
Drosophila montana, **506**
Drosophila persimilis, **68**
Drosophila pseudoobscura, **68**

effective population size, **153**, **609**, **675**
egg thievery, **459**
EMR, **588**
endangered, **489**
endosymbiont, **325**
endosymbiotic, **497**
environmental stochasticity, **313**

epistasis, **144**
European phylogroups, **103**
European populations, **574**
expansion segment, **234**
extinction risk, **313**

fecundity, **313**
fecundity, **694**
Felidae, **355**
fertile genotypes, **167**
Festuca X *Lolium*, **167**
field fitness, **731**
founder effect, **431**
fragmentation, **60**
freshwater fish, **222**
fungus, **134**
fused, **506**

Gasterosteus aculeatus, **459**
gender dimorphism, **265**
gene clusters, **8**
gene diversity, **291**
gene flow, **94, 222, 243, 395, 598, 609, 694, 716**
genetic architecture, **144**
genetic correlation, **404**
genetic differentiation, **94, 243, 469**
genetic diversity, **87, 355, 469, 489, 574**
genetic drift, **480**
genetic identity, **87**
genetic load, **184**
genetic modelling, **685**
genetic non-equilibrium, **103**
genetic structure, **234, 253, 537**
genetic substructuring, **213**
genetic variability, **668**
genetic variation, **36**
genetic variation, **153, 363, 480, 545**
genomic in situ hybridization, **738**
gentics, **8**
germ line, **1**
GISH, **167**
Globodera spp, **277**
grandsire model, **333**
grasshoppers, **54**
Grevillia, **489**
group selection, **1**
guppy, **153**
gynodioecy, **265**

habitat fragmentation, **703**
Heliconius charithonia, **243**
heritability, **177, 363, 404, 668**
heterosis, **103**
heterostyly, **564**
heterozygosity, **119, 395, 439**
heterozygote deficiency, **342**
homoploid hybrid speciation, **87**
Hordeum, **522**
host gene, **8, 17**
hybrid zone, **342**

imported populations, **277**
in situ hybridization, **522, 531**
inbred mouse, **668**
inbreeding, **387, 480**
inbreeding coefficient, **153**
inbreeding depression, **153, 184**
inferring phylogeny, **195**
inheritance, **177**
inheritance of tristyly, **564**
inland breeding, **45**
insect, **303**
intraspecific phylogeography, **431**
introgression, **342**
intron length polymorphism, **342**
isolation by distance, **716**
isopod, **325**
isozymes, **557**
ISSR, **545**
ISSR-PCR, **588**

karyotype evolution, **522**
kin aggregation, **213**
kin selection, **515**
KP element, **206**

landscape resistance, **598**
Lemmus sibiricus, **716**
Lepidoptera, **161**
levels of selection, **1**
lineage sorting, **195**
Lobelia siphilitica, **265**

maize, **743**
male parentage, **515**
male-killing, **161**
male-killing bacteria, **497**
maternal component, **110**
maternal transmission, **731**
mating frequency, **177**
mating system, **60, 184, 489**
Melanoplus, **54**
metapopulation, **598**
microsatellite, **420, 451, 469, 609**
microsatellite DNA, **618**
microsatellite marker, **598**
microsatellites, **60, 213, 378, 459, 628, 703**
migration, **313**

mitochondrial DNA, **54, 222, 253, 355**
mixed mating, **134**
molecular mapping, **8**
morphological traits, **363**
morphological variation, **574**
mtDNA, **303, 420**
mtDNA sequence, **110**
mtDNA variation, **431**
multiple mating, **177**
mutational load, **480**
Mytilus edulis, **342**
Mytilus galloprovinvialis, **342**

neutral evolution, **641**
New Zealand, **303**
non-diapausing, **588**
non-equilibrium, **222**
nonequilibrium population, **716**
nonsynonymous mutations, **641**
NOR dispersion, **291**
NOR location, **531**
NOR polymorphism, **531**
NOR-site polymorphism, **291**
nutritional stress, **363**

oca, **564**
outbred, **333**
Oxalis tuberosa, **564**

P element, **206**
parentage, **378**
parthenogenesis, **497**
paternity, **378**
Pennisetum, **537**
Perca fluviatilis, **213**
Percidae, **213**
peripheral populations, **119**
phylogenetic tree, **439**
phylogeny, **54, 522, 531**
phylogeography, **45, 303, 420**
Physalis longifolia, **195**
Pinus pinaster, **469**
plant breeding systems, **265**
Pleistocene glaciation, **395**
Pleuronectiformes, **531**
Pliocene Islands, **303**
P-M system, **206**
Poaceae, **738**
polyandry, **177**
polygenic control, **177**
polymorphism, **412**
polyploidy, **537**
population analysis, **291**
population bottleneck, **628**
population differentiation, **609**
population genetics, **45, 420, 451, 618, 703**
population structure, **370, 506, 545**
Portuguese endemic cyprinid, **253**
postglacial isolation, **609**
postreduction, **128**
potato virus, **8**
potato virus, **17**
preferential fertilization, **743**
protein electrophoresis, **277**
pseudoautosomal region, **128**

QTL, **333**
quantitative genetics, **313**
quantitative trait, **668**
Quercus petraea, **557**
Quercus robur, **557**

rainbow trout, **333, 412**
Rana arvalis, **598**
RAPD, **451, 588**
rapid evolution, **313**
rDNA, **234, 522**
reactive strains, **110**
rearing habitat, **618**
recent colonization, **716**
relatedness, **515**
repetitive DNA sequences, **738**
reproductive success, **675**
resistance, **8, 17**
review, **17**
RFLP, **253, 574, 588**
ribosomal cistrons, **128**
Rickettsia, **497**
ringed seal, **609**
Rodentia, **128**
roe deer, **703**
rust susceptibility, **36**

S locus, **195**
Sakishima Islands, **206**
Salmo salar, **675**
Salmo trutta, **291**
SCAR, **412**
Scots pine, **36**
seed heteromorphism, **78**
segregating population, **668**
segregation distortion, **387**
self-fertilization, **134**
self-incompatibility, **134**
selfing, **184, 545**
sequencing, **253**
sex chromosomes, **387**
sex determination, **265**

sex marker, **412**
sex ratio, **161**, **515**
sex ratio distortion, **497**
sexual isolation, **68**
sneaking, **459**
social insects, **515**
speciation, **68**
species determination, **277**
sperm competition, **378**
squash, **694**
SSCP, **45**
SSR, **588**
statistical tests, **641**
stepping-stone model, **243**
stress, **333**
stress resistance, **167**, **658**
substitution rate, **439**
swamping, **103**
symbiont, **731**
synonymous mutations, **641**

Taiwan, **206**
tandem repeat sequence, **277**
tandem repeats, **355**
tetrasomic inheritance, **564**
thermal tolerance, **333**
three-spined stickleback, **459**
threshold, **404**
tick, **234**
tooth size, **685**
trans alleles, **195**
transformation, **404**
transgenic, **17**, **694**
translocation, **1**
trans-species polymorphism, **439**
trans-specific polymorphism, **195**
tributary, **618**
Trichoptera, **370**
tropical tree, **60**
truffle, **451**
Tuber melanosporum, **451**
tuco-tucos, **628**
twins, **685**
twist rust, **36**

urban fragmentation, **243**
urea tolerance, **658**

variability, **628**
Viola pubescens, **545**
voles, **387**

watershed, **618**
wild-crop hybridization, **694**
wing shape, **144**
wing size, **144**
Wolbachia, **161**, **325**, **731**
wound healing, **668**

X-linkage, **658**

Zea mays, **574**, **743**